

Chapter 8: A Second Look at Classes and Objects

Starting Out with Java:
From Control Structures through Objects

Fifth Edition

by Tony Gaddis

PEARSON

ALWAYS LEARNING

Chapter Topics

Chapter 8 discusses the following main topics:

- Static Class Members
- Passing Objects as Arguments to Methods
- Returning Objects from Methods
- The `toString` method
- Writing an `equals` Method
- Methods that Copy Objects

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-2

Chapter Topics

Chapter 8 discusses the following main topics:

- Aggregation
- The `this` Reference Variable
- Enumerated Types
- Garbage Collection
- Focus on Object-Oriented Design: Class Collaboration

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-3

Review of Instance Fields and Methods

- Each instance of a class has its own copy of instance variables.
 - Example:
 - The `Rectangle` class defines a `length` and a `width` field.
 - Each instance of the `Rectangle` class can have different values stored in its `length` and `width` fields.
- Instance methods require that an instance of a class be created in order to be used.
- Instance methods typically interact with instance fields or calculate values based on those fields.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-4

Static Class Members

- *Static fields* and *static methods* do not belong to a single instance of a class.
- To invoke a static method or use a static field, the class name, rather than the instance name, is used.
- Example:

```
double val = Math.sqrt(25.0);
```

Class name

Static method

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-5

Static Fields


- Class fields are declared using the `static` keyword between the access specifier and the field type.


```
private static int instanceCount = 0;
```
- The field is initialized to 0 only once, regardless of the number of times the class is instantiated.
 - Primitive static fields are initialized to 0 if no initialization is performed.
- Examples: [Countable.java](#), [StaticDemo.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-6

Static Fields



©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-7

Static Methods

- Methods can also be declared static by placing the `static` keyword between the access modifier and the return type of the method.

```
public static double milesToKilometers(double miles)
{ ... }
```

- When a class contains a static method, it is not necessary to create an instance of the class in order to use the method.

```
double kilosPerMile = Metric.milesToKilometers(1.0);
```

- Examples: [Metric.java](#), [MetricDemo.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-8

Static Methods

- Static methods are convenient because they may be called at the class level.
- They are typically used to create utility classes, such as the `Math` class in the Java Standard Library.
- Static methods may not communicate with instance fields, only static fields.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-9

Passing Objects as Arguments

- Objects can be passed to methods as arguments.
- Java passes all arguments *by value*.
- When an object is passed as an argument, the value of the reference variable is passed.
- The value of the reference variable is an address or reference to the object in memory.
- A *copy* of the object is *not passed*, just a pointer to the object.
- When a method receives a reference variable as an argument, it is possible for the method to modify the contents of the object referenced by the variable.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-10

Passing Objects as Arguments

Examples:

[PassObject.java](#)
[PassObject2.java](#)

```
displayRectangle(box);
```

The diagram shows a variable named 'Address' with an arrow pointing to a 'Rectangle' object. The 'Rectangle' object has two fields: 'length' with a value of 12.0 and 'width' with a value of 5.0.

A Rectangle object

```
length: 12.0  
width: 5.0
```

```
public static void displayRectangle(Rectangle r)
{
    // Display the length and width.
    System.out.println("Length: " + r.getLength() +
        " Width: " + r.getWidth());
}
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-11

Returning Objects From Methods

- Methods are not limited to returning the primitive data types.
- Methods can return references to objects as well.
- Just as with passing arguments, a copy of the object is **not** returned, only its address.
- See example: [ReturnObject.java](#)
- Method return type:

```
public static BankAccount getAccount()
{
    ...
    return new BankAccount(balance);
}
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-12

Returning Objects from Methods

```
account = getAccount();
```

A BankAccount Object

balance: 3200.0

address

```
public static BankAccount getAccount()
{
    ...
    return new BankAccount(balance);
}
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-13

The toString Method

- The toString method of a class can be called *explicitly*:

```
Stock xyzCompany = new Stock ("XYZ", 9.62);
System.out.println(xyzCompany.toString());
```

- However, the toString method does not have to be called explicitly but is called implicitly whenever you pass an object of the class to println or print.

```
Stock xyzCompany = new Stock ("XYZ", 9.62);
System.out.println(xyzCompany);
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-14

The toString method

- The toString method is also called implicitly whenever you concatenate an object of the class with a string.

```
Stock xyzCompany = new Stock ("XYZ", 9.62);
System.out.println("The stock data is:\n" +
    xyzCompany);
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-15

The toString Method

- All objects have a toString method that returns the class name and a hash of the memory address of the object.
- We can override the default method with our own to print out more useful information.
- Examples: [Stock.java](#), [StockDemo1.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-16

The equals Method

- When the == operator is used with reference variables, the memory address of the objects are compared.
- The contents of the objects are not compared.
- All objects have an equals method.
- The default operation of the equals method is to compare memory addresses of the objects (just like the == operator).

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-17

The equals Method

- The Stock class has an equals method.
- If we try the following:

```
Stock stock1 = new Stock("GMX", 55.3);
Stock stock2 = new Stock("GMX", 55.3);
if (stock1 == stock2) // This is a mistake.
    System.out.println("The objects are the same.");
else
    System.out.println("The objects are not the same.");
```

only the addresses of the objects are compared.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-18

The equals Method

- Instead of using the == operator to compare two Stock objects, we should use the equals method.

```
public boolean equals(Stock object2)
{
    boolean status;

    if (symbol.equals(Object2.symbol) && sharePrice == Object2.sharePrice)
        status = true;
    else
        status = false;
    return status;
}
```

- Now, objects can be compared by their contents rather than by their memory addresses.
- See example: [StockCompare.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-19

Methods That Copy Objects

- There are two ways to copy an object.
 - You cannot use the assignment operator to copy reference types
 - Reference only copy
 - This is simply copying the address of an object into another reference variable.
 - Deep copy (correct)
 - This involves creating a new instance of the class and copying the values from one object into the new object.
 - Example: [ObjectCopy.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-20

Copy Constructors

- A copy constructor accepts an existing object of the same class and clones it

```
public Stock(Stock object 2)
{
    symbol = object2.symbol;
    sharePrice = object2.sharePrice;
}

// Create a Stock object
Stock company1 = new Stock("XYZ", 9.62);

//Create company2, a copy of company1
Stock company2 = new Stock(company1);
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-21


Aggregation

- Creating an instance of one class as a reference in another class is called *object aggregation*.
- Aggregation creates a “has a” relationship between objects.
- Examples:
 - [Instructor.java](#), [Textbook.java](#), [Course.java](#), [CourseDemo.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-22

Aggregation in UML Diagrams



©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-23

Returning References to Private Fields

- Avoid returning references to private data elements.
- Returning references to private variables will allow any object that receives the reference to modify the variable.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-24

Null References

- A *null reference* is a reference variable that points to nothing.
- If a reference is null, then no operations can be performed on it.
- References can be tested to see if they point to null prior to being used.

```
if (name != null)
{
    System.out.println("Name is: "
        + name.toUpperCase());
}
```

- Examples: [FullName.java](#), [NameTester.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-25

The this Reference

- The *this* reference is simply a name that an object can use to refer to itself.
- The *this* reference can be used to overcome shadowing and allow a parameter to have the same name as an instance field.

```
public void setFeet(int feet)
{
    this.feet = feet;
    //sets the this instance's feet field
    //equal to the parameter feet.
}
```

Shadows instance variable

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-26

The this Reference

- The *this* reference can be used to call a constructor from another constructor.

```
public Stock(String sym)
{
    this(sym, 0.0);
}
```

- This constructor would allow an instance of the `Stock` class to be created using only the symbol name as a parameter.
- It calls the constructor that takes the symbol and the price, using `sym` as the symbol argument and 0 as the price argument.
- Elaborate constructor chaining can be created using this technique.
- If *this* is used in a constructor, it must be the first statement in the constructor.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-27

Enumerated Types

- Known as an `enum`, requires declaration and definition like a class

Syntax:
enum *typeName* { *one or more enum constants* }

– **Definition:**

```
enum Day { SUNDAY, MONDAY, TUESDAY, WEDNESDAY, THURSDAY,
    FRIDAY, SATURDAY }
```

– **Declaration:**

```
Day workDay; // creates a Day enum
```

– **Assignment:**

```
Day workDay = Day.WEDNESDAY;
```

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-28


Enumerated Types

- An `enum` is a specialized class

Each are objects of type `Day`, a specialized class

```
Day workDay = Day.WEDNESDAY;
```

The `workDay` variable holds the address of the `Day.WEDNESDAY` object



©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-29

Enumerated Types - Methods

- `toString` – returns name of calling constant
- `ordinal` – returns the zero-based position of the constant in the enum. For example the ordinal for `Day.THURSDAY` is 4
- `equals` – accepts an object as an argument and returns true if the argument is equal to the calling enum constant
- `compareTo` – accepts an object as an argument and returns a negative integer if the calling constant's ordinal < than the argument's ordinal, a positive integer if the calling constant's ordinal > than the argument's ordinal and zero if the calling constant's ordinal == the argument's ordinal.
- Examples: [EnumDemo.java](#), [CarType.java](#), [SportsCar.java](#), [SportsCarDemo.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-30

Enumerated Types - Switching

- Java allows you to test an enum constant with a `switch` statement.

Example: [SportsCarDemo2.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-31

Garbage Collection

- When objects are no longer needed they should be destroyed.
- This frees up the memory that they consumed.
- Java handles all of the memory operations for you.
- Simply set the reference to `null` and Java will reclaim the memory.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-32

Garbage Collection

- The Java Virtual Machine has a process that runs in the background that reclaims memory from released objects.
- The *garbage collector* will reclaim memory from any object that no longer has a valid reference pointing to it.


```
BankAccount account1 = new BankAccount(500.0);
BankAccount account2 = account1;
```

- This sets `account1` and `account2` to point to the same object.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-33

Garbage Collection




Here, both `account1` and `account2` point to the same instance of the `BankAccount` class.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-34

Garbage Collection




However, by running the statement: `account1 = null;` only `account2` will be pointing to the object.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-35

Garbage Collection




If we now run the statement: `account2 = null;` neither `account1` or `account2` will be pointing to the object.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-36

Garbage Collection



©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-37

The finalize Method

- If a method with the signature:
`public void finalize() {...}` is included in a class, it will run just prior to the garbage collector reclaiming its memory.
- The garbage collector is a background thread that runs periodically.
- It cannot be determined when the `finalize` method will actually be run.

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-38

Class Collaboration

- Collaboration – two classes interact with each other
- If an object is to collaborate with another object, it must know something about the second object's methods and how to call them
- If we design a class `StockPurchase` that collaborates with the `Stock` class (previously defined), we define it to create and manipulate a `Stock` object

See examples: [StockPurchase.java](#), [StockTrader.java](#)

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-39

CRC Cards

- Class, Responsibilities and Collaborations (CRC) cards are useful for determining and documenting a class's responsibilities
 - The things a class is responsible for knowing
 - The actions a class is responsible for doing
- CRC Card Layout (Example for class `Stock`)

Stock	
Know stock to purchase	Stock class
Know number of shares	None
Calculate cost of purchase	Stock class
Etc.	None or class name

©2013 Pearson Education, Inc. Upper Saddle River, NJ. All Rights Reserved.

8-40